STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT

Facility Information

RESULT: Satisfactory

Permit Number: 13-48-11980
Name of Facility: Rockway Middle/ Loc.# 6821
Address: 9393 SW 29 Terrace
City, Zip: Miami 33165

Type: School (more than 9 months)
Owner: MDCPS
Person In Charge: Maybet Falcon Phone: 305-221-8741
PIC Email: maybetfalcon@dadeschools.net

Inspection Information

Purpose: Routine
Inspection Date: 7/16/2026
Correct By: Next Inspection
Re-Inspection Date: None

Number of Risk Factors (Items 1-29): 0
Number of Repeat Violations (1-57 R): 2
FacilityGrade: N/A
StopSale: No

Begin Time: 10:05 AM
End Time: 11:20 AM

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION
IN 1. Demonstration of Knowledge/Training
IN 2. Certified Manager/Person in charge present
EMPLOYEE HEALTH
IN 3. Knowledge, responsibilities and reporting
IN 4. Proper use of restriction and exclusion
IN 5. Responding to vomiting & diarrheal events
GOOD HYGIENIC PRACTICES
IN 6. Proper eating, tasting, drinking, or tobacco use
IN 7. No discharge from eyes, nose, and mouth
PREVENTING CONTAMINATION BY HANDS
IN 8. Hands clean & properly washed
IN 9. No bare hand contact with RTE food
IN 10. Handwashing sinks, accessible & supplies
APPROVED SOURCE
IN 11. Food obtained from approved source
NO 12. Food received at proper temperature
IN 13. Food in good condition, safe, & unadulterated
NA 14. Shellstock tags & parasite destruction
PROTECTION FROM CONTAMINATION
IN 15. Food separated & protected; Single-use gloves
IN 16. Food-contact surfaces; cleaned & sanitized
IN 17. Proper disposal of unsafe food
TIME/TEMPERATURE CONTROL FOR SAFETY
IN 18. Cooking time & temperatures
IN 19. Reheating procedures for hot holding
IN 20. Cooling time and temperature
IN 21. Hot holding temperatures
IN 22. Cold holding temperatures
IN 23. Date marking and disposition
IN 24. Time as PHC; procedures & records
CONSUMER ADVISORY
NA 25. Advisory for raw/undercooked food
HIGHLY SUSCEPTIBLE POPULATIONS
IN 26. Pasteurized foods used; No prohibited foods
ADDITIVES AND TOXIC SUBSTANCES
IN 27. Food additives: approved & properly used
IN 28. Toxic substances identified, stored, & used
APPROVED PROCEDURES
NA 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT

Good Retail Practices

SAFE FOOD AND WATER
IN 30. Pasteurized eggs used where required
IN 31. Water & ice from approved source
NA 32. Variance obtained for special processing
FOOD TEMPERATURE CONTROL
IN 33. Proper cooling methods; adequate equipment
IN 34. Plant food properly cooked for hot holding
IN 35. Approved thawing methods
IN 36. Thermometers provided & accurate
FOOD IDENTIFICATION
IN 37. Food properly labeled; original container
PREVENTION OF FOOD CONTAMINATION
IN 38. Insects, rodents, & animals not present
IN 39. No Contamination (preparation, storage, display)
IN 40. Personal cleanliness
IN 41. Wiping cloths: properly used & stored
IN 42. Washing fruits & vegetables
PROPER USE OF UTENSILS
IN 43. In-use utensils: properly stored
IN 44. Equipment & linens: stored, dried, & handled
IN 45. Single-use/single-service articles: stored & used
NO 46. Slash resistant/cloth gloves used properly
UTENSILS, EQUIPMENT AND VENDING
OUT 47. Food & non-food contact surfaces **(R)**
IN 48. Ware washing: installed, maintained, & used; test strips
IN 49. Non-food contact surfaces clean
PHYSICAL FACILITIES
IN 50. Hot & cold water available; adequate pressure
IN 51. Plumbing installed; proper backflow devices
IN 52. Sewage & waste water properly disposed
IN 53. Toilet facilities: supplied, & cleaned
IN 54. Garbage & refuse disposal
OUT 55. Facilities installed, maintained, & clean **(R)**
OUT 56. Ventilation & lighting
IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

Violation #47. Food & non-food contact surfaces
-Observed broken door gasket at double-door Continental refrigerator, PC#0880754. Repair/replace door gasket.[This is a repeat violation from 9/22/23, 12/4/23, 02/27/24, 04/05/24, 12/10/24, 10/27/25 & 05/12/26 routine inspections]

-Observed out-of-order 2-door Continental refrigerator, PC#1134958 and 2-door McCarty freezer, PC#531372. Repair/replace. Work order on file [This is a repeat violation from last routine inspection 05/12/25]
CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.

Violation #55. Facilities installed, maintained, & clean
Observed mop sink adjancent to the kitchen with clogged floor drain. Per PIC, the plumber that came said the drain pipe needs to be changed. Work order on file. [This is a repeat violation from 04/06/25, 12/10/25 & 05/12/26 routine inspections]

CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.

Violation #56. Ventilation & lighting
Observed 2 burned-out underhood lights. Replace
CODE REFERENCE: 64E-11.003(6)(a). Adequate exhaust ventilation hood systems in food prep and warewashing areas shall be provided and designed. 50 foot candles shall be at surfaces where employees work with food and 20 foot candles shall be at surfaces where food is provided to consumers.

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT

General Comments

Hot water at: handwashing sink 100F, wash sink 111F, mop sink (located inside custodial closet #607)100F, employee restroom sink 100F.
Sanitizer concentration/water temperature: not set up at this time
Refrigerators temperature 39F-41F; freezer 0F- -9F.

Food temperature:
milk/milk box 40F
Warmer: pizza stick 145F
Cold holding inside refrigerator: sliced cheese 41F, cream cheese 40F, sliced Canadian ham 41F, buttermilk salad dressing 38F
Hot serving line: no food on the line at this time.

Note:
Until the drain pipe of the mop sink adjacent to the kitchen is fully repaired, use mop sink located inside janitor s room#1206 in Building 6.

Classic Thermapen digital thermometer used to measure food and water temperatures at the time of this inspection.

Email Address(es): mfalcon3@dadeschools.net;
RubenMorales@dadeschools.net;
MFuentes@dadeschools.net;

Inspector Signature: **Client Signature:**

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT

Inspection Conducted By: Venus Fernandez (082515)
Inspector Contact Number: Work: (305) 623-3516 ex.
Print Client Name: Maybet Falcon-Cafeteria Manager
Date: 7/16/2026

Inspector Signature:

Client Signature: